




part no.	ref. code	DESIGNATION	Model/Specification	Quantity
1	36941501	outer hexagon screw with flange	M6X10	14
2	36941502	Head cover plate	Cold rolled steel plate/δ1.2	1
3	36941503	cooler	570×515×65	1
4	36941504	inside hexagonal bolt	M10×40	4
5	36941505	flat gasket φ10	Ø10	20
6	36941506	spring washer φ10	Ø10	20
7	36941507	cross recessed pan head screw	M6X16	6
8	36941508	fan cover	Cold rolled steel plate/δ1.2	1
9	36941509	Head cover plate	Cold rolled steel plate/δ2	1
10	36941510	Emergency "stop" button	/	1
11	36941511	controller	MAM6080	1
12	36941512	nut	M10	2
13	36941513	spring washer φ10	Ø10	2
14	36941514	flat gasket φ10	Ø10	2
15	36941515	Egg neck bolt	M10X45	2
16	36941516	clamp	3/4" (GC-01)	2
17	36941517	clamp ring	/	1
18	36941518	left shutter	Cold rolled steel plate/δ1.2	1
19	36941519	black lock	/	8
20	36941520	Vertical shaft on left side of the front shutter	Cold rolled steel plate/δ1.5	1
21	36941521	electric control system	/	1
22	36941522	left shutter in the front	Cold rolled steel plate/δ1.2	1
23	36941523	The fan can not pull off	Ø17	1
24	36941524	Control line can not pull off	Ø28	1
25	36941525	outer hexagon bolt	M8X25	4
26	36941526	flat gasket φ8	Ø8	52
27	36941527	hexagon nut	M8	4
28	36941528	spring washer φ8	Ø8	52
29	36941529	frequency conversion electric control box	Cold rolled steel plate/δ1.5	1
30	36941530	inverter (EMC certificate)	Z2000T-11GY-4(E)	1
31	36941531	cross recessed pan head screw	M6×20	4
32	36941532	hexagon nut	M6	4
33	36941533	base plate	Cold rolled steel plate/δ2	1
34	36941534	Vertical shaft on right side r	Cold rolled steel plate/δ1.5	1
35	36941535	Vertical shaft in the middle side of the front shutter	Cold rolled steel plate/δ1.5	1
36	36941536	right shutter	Cold rolled steel plate/δ1.2	1
37	36941537	Vertical shaft on left side of the back shutter	Cold rolled steel plate/δ1.5	1
38	36941538	panel plate for controller	Cold rolled steel plate/δ1.2	1
39	36941539	back shutter	Cold rolled steel plate/δ1.2	1
40	36941540	straight connector	0 degree -R3/4-M36X2	2
41	36941541	sealing ring	Ø20x2	1
42	36941542	Exhausting pipe of oil tank	20A-JFPMTD-04-04	1
43	36941543	Vertical shaft on left side of the back shutter	Cold rolled steel plate/δ1.5	1
44	36941544	outer hexagon bolt	M8X20	28
45	36941545	straight connector	0 degree -R1-M36X2	1
46	36941546	oil outlet pipe in radiator	Ø20	
47	36941547	Oil filter base	RP3/4-RP3/4	1
48	36941548	Oil filter	W950	1
49	36941549	connector of Oil filter base	M24×1.5-1-12UNF	1
50	36941550	straight adjustable connector	0 degree -R1/2-G3/4	1
51	36941551	right shutter in the front	Cold rolled steel plate/δ1.2	1
52	36941552	shell of air filter	Ø180x120	1

part no.	ref. code	DESIGNATION	Model/Specification	Quantity
53	36941553	air filter	Ø148xØ49x110x40	1
54	36941554	inside hexagonal bolt	M8X30	4
55	36941555	Air inlet valve	ATV-40B-K	1
56	36941556	Screw handpiece	XLLT75	1
57	36941557	outer hexagon bolt	M12X35	2
58	36941558	spring washer φ12	Ø12	15
59	36941559	flat gasket φ12	Ø12	15
60	36941560	shock pad	Ø60X50	3
61	36941561	hexagon nut	M12	4
62	36941562	outer hexagon bolt	M12X70	2
63	36941563	Host frame	50X50 square steel	1
64	36941564	Bearing lubrication return oil pipe	Ø6	1
65	36941565	90 degree straight connector	90 degree -R1/8-Ø6	1
66	36941566	Exhausting pipe of handpiece	Ø28	1
67	36941567	outer hexagon bolt	M12X45	4
68	36941568	flange for air end	90X90X18	1
69	36941569	sealing flange in air end	Ø70	1
70	36941570	sealing ring	Ø60x2.65	1
71	36941571	straight connector	R1/8-R1/4	1
72	36941572	inside hexagonal bolt	M16X25	2
73	36941573	spring washer φ16	Ø16	1
74	36941574	flat gasket φ16	Ø16	1
75	36941575	right-angle bend	90 degree -R1/8-RP1/8	1
76	36941576	oil return valve	R1/8-RP1/8	1
77	36941577	straight connector	0 degree -R1/8-Ø6	2
78	36941578	Temperature sensor	G1/4	1
79	36941579	oil return pipe 2	Ø6	1
80	36941580	straight connector	0 degree -R1/4-Ø6	1
81	36941581	unloading pipe	Ø6	1
82	36941582	90 degree straight connector	90 degree -R1/4-Ø6	1
83	36941583	cooling fan	YWF(K)4D500-Z	1
84	36941584	outer hexagon bolt	M10X25	2
85	36941585	Minimum pressure valve	MPV-25F-Y	1
86	36941586	pressure sensor	R1/4	1
87	36941587	outer hexagon bolt	M12X35	8
88	36941588	outer hexagon plug	G1/4	1
89	36941589	frange cover	Ø221.5×18	1
90	36941590	oil gas separator	Ø165×Ø75×Ø135×200	1
91	36941591	safety valve	R1/2	1
92	36941592	oil tank	Ø220	1
93	36941593	Pressure gauge of the oil-gas barrel	G1/4	1
94	36941594	compound gasket	M27	1
95	36941595	oil cock	M27X1.5	1
96	36941596	bolt for oil hole	M10×35	2
97	36941597	oil level sight glass	114X22X20	1
98	36941598	ball valve	R1/4-RP1/4	1
99	36941599	outer hexagon bolt	M10X25	4
100	369415100	straight connector	0 degree -R1/4-Ø6	1
101	369415101	90°adjustable connector	90 degree -G3/4-M33X2	2
102	369415102	secondary oil return pipe 1	Ø6	1
103	369415103	straight connector	Ø6-Ø6	1
104	369415104	straight connector	0 degree -R1/2-M33X2	2
105	369415105	oil inlet pipe to radiator	Ø20	1